

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addease COMMISSIONER FOR PATENTS PO Box 1430 Alexandra, Virginia 22313-1450 www.webjo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/595,666	05/03/2006	Naniwada Koji	09792909-6629	4359
26263 SONNENSCH	7590 05/29/200 EIN NATH & ROSEN	EXAM	EXAMINER	
P.O. BOX 061080 WACKER DRIVE STATION, SEARS TOWER CHICAGO, IL 60606-1080			TAKAOKA, DEAN O	
			ART UNIT	PAPER NUMBER
CHICAGO, IL	30000-1000	2817		
			MAIL DATE	DELIVERY MODE
			05/29/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.	Applicant(s)		
10/595,666	KOJI, NANIWADA		
Examiner	Art Unit		
DEAN O. TAKAOKA	2817		

omoortonom cummary	Examiner	Art Unit				
	DEAN O. TAKAOKA	2817				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address						
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D. - Estensions of time may be available under the provisions of 37 CFR 1.15 - If NO period for reply is a specified above, the maximum statutory period in the property of the	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a repty be tin will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this of D (35 U.S.C. § 133).				
Status						
Responsive to communication(s) filed on						
2a) This action is FINAL. 2b) ☑ This						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-8</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-8</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	r election requirement.					
Application Papers						
9) ☐ The specification is objected to by the Examine	r					
10)⊠ The drawing(s) filed on <u>03 May 2006</u> is/are: a)		ov the Examiner				
Applicant may not request that any objection to the		-				
Replacement drawing sheet(s) including the correct			FR 1.121(d).			
11)☐ The oath or declaration is objected to by the Ex						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)	⊢(d) or (f).				
a)⊠ All b)□ Some * c)□ None of:		., .,				
1. Certified copies of the priority documents	s have been received.					
Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the prior	rity documents have been receive	ed in this National	Stage			
application from the International Bureau	ı (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list	of the certified copies not receive	d.				
Attachment(s)						
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail Da					

- 3) Information Disclosure Statement(s) (FTO/S5/08)
 Paper No(s)/Mail Date 3/21/08.

- 5) Notice of Informal Patent Application
 6) Other:

Application/Control Number: 10/595,666

Art Unit: 2817

DETAILED ACTION

Drawings

Figures 8 – 10 should be designated by a legend such as –Prior Art– because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Objections

Claim 2 is objected to because of the following informalities: Claim 2 is dependent from claim 5 and precedes the numbering of claim 5. Appropriate correction is required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1 – 8 are rejected under 35 U.S.C. 102(b as being anticipated by Guillon et al. (US 6,549,097).

Application/Control Number: 10/595,666

Art Unit: 2817

Guillon (Fig. 11) shows plural micro-resonators, each having a plurality of parallel beams serving as diaphragms, disposed on the same plane in opposing relation to the input output electrodes (141-144) where resonators are connected in parallel comprising a filter.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DEAN O. TAKAOKA whose telephone number is (571)272-1772. The examiner can normally be reached on 9:00a - 5:30p Mon - Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Pascal can be reached on (571) 272-1769. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/595,666

Page 4

Art Unit: 2817

/Dean O Takaoka/

Primary Examiner, Art Unit 2817